



Specification for Art 90-070 “Rigger” . (Mens sizes 5 x 13)

Upper.

- *The all leather upper is cut from 2.0 – 2.2mm chrome tanned Lunar Print Full Grain Water Buffalo hides, which are strong and have high wearing durability.*
- *The leg of the boot is unlined, and has two pull straps for ease of pulling the boot on.*
- *The topline is French bound with leather.*
- *The BOVA Comfort vamp lining is from a special needled polyester/wool stitchbond which has excellent perspiration absorbency resulting in a low heat build up and a more comfortable shoe for the wearer. This material has been treated with “RUCO-BAC AGP” which imparts additional hygienic and anti-bacterial properties to the lining..*
- *The counter lining is from a suede split for good wear resistance.*

Insole and Sock

- *The insock is from a specially developed anti-static non-woven material that has exceptional directional stability, durability and comfort.*
- *The “**Energiser**” footbed insock is from a specially needled wool/polyester blend that has great perspiration absorbency and gives extra comfort to the wearer who is on his feet all day long due to the low build up of heat inside the shoe. This material has been specially treated with “**RUCO-BAC AGP**”, ions of silver that impart hygienic and anti-bacterial characteristics to the material.*
- *A special shank reinforcement is moulded into the midsole to give additional support under the arch of the foot.*

Double Density Polyurethane Sole

- *The sole is from foamed dual density polyester polyurethane, for lightness, comfort and flexibility. The mid sole has a shore hardness of 0.45 for soft comfort next to the foot, and the outer sole has a shore hardness of 0.64 – 0.65 for durability and slip resistance.*
- *The polyurethane sole is an excellent insulator against the cold and has a heat resistance of between 100 and 110C.*

Toe caps

- *The steel toe cap is imported from Europe or South America and complies with the S.A.B.S. specification to withstand an impact load of 200 joules. This toe cap has an extra wide fit to accommodate the largest variety of feet possible, and we use 6 different sizes to cover the men’s size range of 5 x 12. Some of our competitors use only four sizes of toe caps to cover the size range.*

This “Rigger” boot, has been tested to comply with SANS/ISO 20345 Specification and carries the SANS/ISO 20345 Certified Mark.

This boot can be made either with or without a steel toe cap as required, and also a flexible stainless steel mid-sole can be moulded into the sole to give added protection against the penetration of glass or nails etc.

Beier Safety Footwear has a registered quality management system and is an ISO 9001 rated factory.

Jun 2010